

Communication Engineering

Dr.M.P.Chitra

Professor & Head

Department of Electronics and Communication Engineering
Panimalar Institute of Technology
Chennai.

S. Saranya

Assistant Professor

Department of Electronics and Communication Engineering
Panimalar Institute of Technology
Chennai.

D. Kalaiarasi

Assistant Professor

Department of Electronics and Communication Engineering
Panimalar Institute of Technology
Chennai.



Publishing for future

SCITECH PUBLICATIONS (INDIA) PVT. LTD.

www.scitechpublications.com

Contents

	Basics of Communication System	I.1 - I.7
Chapter 1	Analog Communication	1.1 - 1.106
1.1	Amplitude Modulation/ AM-Double Side Band-Full Carrier (DSB-FC)	1.1
1.1.1	Introduction	1.1
1.1.2	AM envelope	1.1
1.1.3	Mathematical representation of AM	1.2
1.1.4	Frequency spectrum and bandwidth of AM	1.3
1.1.5	Phasor (or) vector representation of AM	1.4
1.1.6	Calculation of AM modulation index from AM waveform	1.5
1.1.7	Degrees of modulation	1.7
1.1.8	AM power distribution	1.8
1.1.9	Current distribution of AM	1.10
1.1.10	Advantages, disadvantages and applications of AM (or) DSB-FC	1.11
1.2	AM Modulators	1.12
1.2.1	Comparison of low level and high level modulators	1.13
1.2.2	Generation of AM waves using non-linear modulation	1.13
1.2.3	Generation of AM waves using linear modulation	1.18
1.3	Demodulation of AM Signals	1.20
1.3.1	Envelope detector (or) shape detector	1.20
1.3.2	Distortion in the envelope detector	1.21
1.4	Double Side Band-Suppressed Carrier (DSB-SC)	1.22
1.4.1	Introduction	1.22
1.4.2	Mathematical representation of DSB-SC	1.23
1.4.3	Frequency spectrum of DSB-SC	1.23
1.4.4	Phasor representation of DSB-SC	1.23

1.4.5	Power representation of DSB-SC	1.24
1.5	Generation of DSB-SC	1.25
1.5.1	Balanced modulator	1.26
1.5.2	Ring modulator (or) balanced modulator using data .	1.28
1.6	Demodulation of DSB-SC (or) Detection of DSB-SC	1.32
1.6.1	Coherent (or) linear (or) synchronous detector	1.32
1.7	Single Side Band - Suppressed Carrier(SSB-SC)	1.33
1.7.1	Introduction	1.33
1.7.2	Phasor representation of SSB-SC	1.34
1.7.3	Power calculation of SSB-SC	1.35
1.8	Generation (or) Modulation of SSB-SC	1.37
1.8.1	Frequency discrimination (or) filter method (or) selective filtering method	1.37
1.8.2	Phase discrimination method	1.40
1.8.3	Demodulation of SSB-SC: (Synchronous detector) . .	1.45
1.9	Vestigial Side Band (VSB)	1.46
1.9.1	Introduction	1.46
1.10	Generation and Detection of VSB	1.48
1.10.1	Generation of VSB	1.48
1.10.2	Demodulation of VSB	1.49
1.11	Comparison of Various AM Systems	1.50
1.12	AM Transmitter and Receiver	1.51
1.12.1	AM transmitter	1.51
1.12.2	Comparison of low level and high level modulator .	1.53
1.13	FM Receiver	1.53
1.13.1	Introduction	1.53
1.13.2	Receiver parameters	1.53
1.13.3	Types of AM receiver	1.55
1.14	Angle Modulation	1.59
1.14.1	Introduction	1.59
1.14.2	Phase modulation	1.60
1.14.3	Frequency modulation	1.61
1.15	Generation of PM and FM Wave	1.63
1.15.1	Generation of PM from frequency modulation (FM) .	1.63
1.15.2	Generation of FM wave from phase modulation (PM)	1.64

1.15.3	Waveform of PM and FM	1.65
1.16	Frequency Spectrum Analysis of Single Tone Sinusoidal FM	1.65
1.16.1	Introduction	1.65
1.16.2	Power calculation of FM	1.68
1.16.3	Comparison of FM and PM	1.68
1.16.4	Types of frequency modulation	1.69
1.16.5	Comparison of narrow band and wide band FM . . .	1.74
1.16.6	Bandwidth of FM	1.74
1.16.7	Generation of FM	1.76
1.16.8	Comparison of direct & indirect FM	1.81
1.16.9	Comparison of FM and AM	1.81
1.16.10	Demodulation of FM signal	1.82
	Two marks Question and Answer	1.92
	Review Questions	1.104
Chapter 2	Digital Communication	2.1 - 2.73
2.1	Pulse Modulation	2.1
2.2	Sampling	2.2
2.2.1	Sampling theorem	2.2
2.2.2	Types of sampling	2.3
2.2.4	Limitations of sampling	2.5
2.3	Pulse Amplitude Modulation	2.6
2.3.1	Generations of PAM	2.6
2.3.2	Detection of PAM	2.7
2.3.3	Transmission bandwidth of PAM (B_T)	2.7
2.4	Pulse Width Modulation (PWM/PDM)	2.9
2.4.1	Generation of PWM	2.9
2.4.2	Demodulation of PWM	2.10
2.5	Pulse Position Modulation	2.11
2.5.1	Generation	2.11
2.5.2	Demodulation of PPM	2.12
2.5.3	Transmission bandwidth (B_T) of PPM & PWM . . .	2.13
2.6	Quantization	2.13
2.6.1	Quantization error (q)	2.14

2.6.2	Process of quantization	2.14
2.6.3	Types of quantization	2.15
2.6.4	Companding	2.17
2.7	Encoding	2.19
2.7.1	Introduction	2.19
2.8	Pulse Code Modulation (PCM)	2.20
2.8.1	Basic elements of PCM	2.21
2.8.2	Noise considerations in PCM systems	2.25
2.9	Delta Modulation	2.27
2.9.1	DM transmitter	2.27
2.9.2	DM receiver	2.29
2.9.3	Quantization errors in delta modulation (or) quantization noise in delta modulation	2.30
2.9.4	SNR calculation of DM	2.32
2.9.5	Advantages and disadvantages of DM	2.34
2.10	Adaptive Delta Modulation	2.34
2.10.1	ADM transmitter	2.35
2.10.2	ADM receiver	2.35
2.11	Differential Pulse Code Modulation (DPCM)	2.36
2.11.1	DPCM transmitter	2.37
2.11.2	DPCM receiver	2.38
2.11.3	SNR in DPCM	2.39
2.12	Digital Modulation Scheme	2.40
2.12.1	Introduction	2.40
2.12.2	Types of pass band data transmission	2.40
2.12.3	Detection of PSK	2.41
2.12.4	Signal space diagram (or) constellation diagram PSK	2.41
2.12.5	Waveforms of PSK	2.42
2.13	Quadrature Phase Shift Keying: QPSK	2.43
2.13.1	Definition	2.43
2.13.2	Representation of QPSK	2.43
2.13.3	Generation of QPSK	2.44
2.13.4	Detection of QPSK	2.45
2.13.5	Constellation diagram or signal space diagram	2.46
2.13.6	Waveforms of QPSK	2.46

2.14	Quadrature Amplitude Modulation (QAM) (or) Quadrature Amplitude Shift Keying	2.48
2.14.1	Definition	2.48
2.14.2	Representation	2.48
2.14.3	Generation of 16 QAM	2.49
2.14.4	Detection of QAM	2.49
2.14.5	Constellation diagram	2.50
2.15	Minimum Shift Keying (MSK)	2.51
2.15.1	Introduction	2.51
2.15.2	Representation	2.52
2.15.3	MSK transmitter	2.52
2.15.4	MSK receiver	2.54
2.16	Gaussian Minimum Shift Keying (GMSK)	2.55
2.16.1	GMSK transmitter	2.55
	Two marks Question and Answer	2.63
	Review Questions	2.72
Chapter 3	Source Codes, Line Codes & Error Control	3.1 - 3.115
3.1	Primary Communication	3.1
3.2	Block Diagram of Digital Communication System	3.2
3.3	Amount of Information	3.4
3.4	Average Information or Entropy	3.4
3.4.1	Properties of entropy	3.6
3.4.2	Entropy of a Binary Memoryless Source (BMS)	3.8
3.4.3	Extension of a discrete memoryless source	3.9
3.4.4	Differential entropy	3.9
3.4.5	Information rate (R)	3.9
3.4.6	Discrete Memoryless Channel (BMC)	3.10
3.4.7	Binary Communication Channel (BCC)	3.11
3.4.8	Binary Symmetric Channel (BSC)	3.11
3.4.9	Mutual information [$I(X; Y)$]	3.12
3.4.10	Binary Erasable Channel (BEC)	3.13
3.4.11	Channel capacity	3.14
3.5	Source Coding	3.15

3.6	Data Compaction (or) Compression	3.17
3.7	Types of Source Coding (or) Entropy Coding	3.17
3.7.1	Shannon-Fano coding	3.17
3.7.2	Example problems	3.18
3.7.3	Huffman coding	3.25
3.7.4	Lempel-Ziv coding	3.35
3.8	Noiseless Coding Theorem	3.35
3.8.1	Shannon's first theorem (or) source coding theorem	3.35
3.8.2	Shannon's second theorem (or) channel coding theorem	3.37
3.8.3	Shannon's third theorem (or) channel capacity theorem	3.38
3.9	Bandwidth - SNR Tradeoff Codes	3.40
3.10	Line Coding (or) Line Encoding (or) BW-SNR Tradeoff Codes	3.41
3.11	Types of Line Coding	3.42
3.11.1	Unipolar	3.42
3.11.2	Polar	3.43
3.11.3	Bipolar	3.46
3.12	MBnB Codes	3.48
3.13	Efficiency of Transmission	3.49
3.13.1	Multiplexing	3.49
3.13.2	Types of multiplexing	3.50
3.13.3	Data compression	3.50
3.13.4	Video compression	3.51
3.14	Error Control Codes	3.51
3.14.1	Introduction	3.51
3.15	Convolutional Codes	3.52
3.15.1	Structure of convolutional encoder	3.53
3.15.2	Time domain approach	3.54
3.15.3	Transform domain approach	3.54
3.15.4	Structural properties of convolutional encoder	3.55
3.15.5	Viterbi decoding	3.79
3.16	Linear Block Codes	3.86
3.16.1	Encoding of linear block codes	3.86
3.16.2	Properties of linear block codes (LBC)	3.88

3.16.3	Decoding of linear block codes	3.96
3.17	Hamming Codes	3.103
	<i>Two marks Question and Answer</i>	3.109
	<i>Review Questions</i>	3.114
Chapter 4	Multiple Access Techniques	4.1 - 4.41
4.1	Spread Spectrum	4.1
4.1.1	Introduction	4.1
4.2	General Model of Spread Spectrum Communication System	4.2
4.2.1	Pseudo - Noise sequences: (PN)	4.3
4.3	Types of Spread Spectrum (SS)	4.4
4.3.1	Direct sequence spread spectrum phase shift keying receiver	4.5
4.3.2	Frequency Hopping Spread Spectrum (FH-SS) signals	4.9
4.4	Multiple Access Techniques for Wireless Communication . .	4.13
4.4.1	Types of wireless communication systems	4.13
4.5	Multiple Access Schemes	4.14
4.5.1	Time division multiple access	4.15
4.5.2	Frequency division multiplexing	4.21
4.5.3	Code Division Multiple Access (CDMA)	4.26
4.5.4	Space division multiple access	4.30
4.5.5	Comparison of TDMA, FDMA & CDMA	4.32
4.5.6	Comparison of TDMA, FDMA, CDMA & SDMA . .	4.33
	<i>Two marks Question and Answer</i>	4.36
	<i>Review Questions</i>	4.40
Chapter 5	Satellite, Optical Fiber - Power Line, SCADA	5.1 - 5.94
5.1	Satellite Communication	5.1
5.2	Kepler's Law	5.3
5.2.1	Kepler's first law	5.3
5.2.2	Kepler's second law	5.3
5.2.3	Kepler's third law	5.4
5.3	Satellite Orbits	5.4
5.3.1	Satellite orbital patterns	5.5

5.3.2	LEO, MEO & GEO orbits	5.5
5.4	Satellite System Power Budget (or) Link Budget (or) Link Model	5.7
5.4.1	Effective isotropical radiated power	5.7
5.4.2	Received power	5.8
5.4.3	Carrier to Noise Ratio (C/N)	5.9
5.4.4	Foot print	5.11
5.5	Satellite Frequency Bands (or) Frequency used in Link Establishment	5.12
5.6	Multiple Access Techniques in Satellite Communication . . .	5.15
5.6.1	Types of multiple access techniques	5.16
5.7	Satellite Earth Stations (ES) (or) Satellite Communication System	5.26
5.8	Satellite Aperture Actuators	5.30
5.9	Internal Telecommunication Satellite (INTELSAT)	5.31
5.10	Indian National Satellite System (INSAT)	5.33
5.11	Fiber Optic Communication	5.34
5.11.1	Optical fibre communication system	5.34
5.11.2	Advantages of optical fibre communication	5.35
5.11.3	RAY theory transmission/characteristics of light . . .	5.35
5.12	Basic Structure of Optical Fibre	5.38
5.13	Types of Optical Fibre	5.39
5.14	Optical Fibre Configurations	5.41
5.14.1	Single mode (or) mono mode step index fibre (SMSI) .	5.41
5.14.2	Multimode strep index fibre (MMSI)	5.42
5.14.3	Multimode graded index fibre (MMGI)	5.42
5.15	Optical Fibre Sources	5.43
5.15.1	Light Emitting Diodes (LEDs)	5.45
5.15.2	Laser diode (LASER - Light Amplification by Stimulated Emission of Radiation)	5.52
5.16	Optical Detectors / Photo Detector	5.63
5.16.1	PIN photodetector/photodiode	5.64
5.16.2	Avalanche photodiode (APD)	5.67
5.17	Photodetector Noise / Noise Sources	5.69
5.17.1	Noise components	5.70

5.17.2	Detector response time	5.72
5.17.3	Response time of a photodiode	5.73
5.17.4	Comparison of PIN and APD	5.74
5.18	Optical Fibre Link	5.75
5.19	Power Line Carrier Communication	5.77
5.19.1	Supervisory Control and Data Acquisition (SCADA)	5.78
5.19.2	SCADA system components	5.78
5.19.3	SCADA generations	5.79
	Two marks Question and Answer	5.83
	Review Questions	5.93